# THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education

232/3

### Paper 3

## PHYSICS - (Practical)

Apr. 2022 - 2½ hours



Name	Index Number
Candidate's Signature	Date

## Instructions to candidates 2021 KCSE 2021

- (a) Write your name and index number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) Answer all the questions in the spaces provided in the question paper.
- (d) You are supposed to spend the first 15 minutes of the 2½ hours allowed for this paper reading the whole paper carefully before commencing your work.
- (e) Marks are given for a clear record of the observations made, their suitability, accuracy and use.
- (f) Candidates are advised to record their observations as soon as they are made.
- (g) Non-programmable silent electronic calculators and KNEC mathematical tables may be used.
- (h) This paper consists of 8 printed pages.
- Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.
- (j) Candidates should answer the questions in English.

#### For Examiner's Use Only

Question 1	a	c(iii)	d(ii)	е	f	g	h	i
Maximum Score	1	3	3	3	3	2	2	3
Candidate's Score	dieth	THE REAL PROPERTY.	-19	HEED!				Herry

Total

Question 2	a	е	f	g	h	i	j
Maximum Score	2	4	5	3	2	1	3
Candidate's Score	100			-50			7

Total

Cos NOSI ECSE SOSI ECSE SOSI ECSE SOSI







#### **Question 1**

You are provided with the following:

- 1. A thermometer
- 2. A boiling tube
- 3. A retort stand, boss and clamp
- 4. A weighing balance (to be shared)
- 5. A watch glass
- 6. A measuring cylinder
- 7. A beaker labelled X
- 8. A metre rule
- 9. An optical pin mounted on a cork
- 10. Water in a beaker
- 11. A liquid L in a beaker labelled L
- 12 A plane mirror
- 13. A stopwatch
- 14. Tissue paper
- 15. A piece of manila paper with a hole in the middle (paper cover)
- 16. Boiling water (to be provided)

#### Proceed as follows:

#### PART A

(a) Using the weighing balance, measure and record the mass M<sub>b</sub> of the boiling tube in grammes.

 $M_b = \dots$  g.

(1 mark)

- (b) (i) Clamp the boiling tube in the retort stand.
  - (ii) Using a measuring cylinder, put 40 cm<sup>3</sup> of cold water in the boiling tube and insert the thermometer in the boiling tube through the paper cover.
  - (iii) Make a hot water bath by putting approximately 500 ml of hot water into the beaker labelled **X**.
- (c) (i) Place the boiling tube in the hot water. Using the thermometer, stir the water in the tube until the temperature rises to 48°C. (See Figure 1)

(Ensure the water in the tube mixes properly to be at the same temperature)




Figure 1

- (ii) With the boiling tube still clamped in the stand, remove the hot water bath. Let the water in the boiling tube cool as you stir throughout using the thermometer.
- (iii) Immediately the temperature falls to 46°C start the stopwatch and record the time in seconds when the temperature falls to the values shown in **Table 1**.

#### HINT:

The time recorded is cumulative and the stopwatch should not be stopped until the time at the last temperature (40°C) is recorded.

Stirring the water in the tube should also be continuous.

#### Table 1 (Water)

(3 marks)

Temperature (°C)	46	45	44	43	42	41	40
Time (s)	0						

- Pour out the water from the boiling tube and use some tissue paper to wipe out the water in the tube. Use the measuring cylinder to put 40 cm<sup>3</sup> of liquid L in the boiling tube.
  - (ii) Repeat part c(i), (ii) and (iii) using liquid L in place of water and record the results in the **Table 2**.

Table 2 (Liquid L)

(3 marks)

Temperature (°C)	46	45	44	43	42	41	40
Time (s)	0						

- (e) Use the results to determine:
  - (i) time T<sub>1</sub> taken by the water to cool from 45°C to 40°C

$$T_1 = \dots$$
 seconds

(1 mark)

(ii) time  $T_2$  taken by liquid L to cool from 45°C to 40°C

(1 mark)

(iii) constant K given that 
$$K = \frac{T_2}{T_1}$$

(1 mark)

(f) Given that the densities of liquid L and water are 0.8 gcm<sup>-3</sup> and 1.0 gcm<sup>-3</sup> respectively determine the:

(1)	mass M <sub>L</sub> of fiquid L.		(2 marks)
	***************************************	·····	 

- (ii) mass M<sub>w</sub> of water. (1 mark)
- (g) Use the results to determine the constant C given that

mass M. of liquid I

$K(84M_b + 420M_w) = 84M_b + 100M_L C$		(2 marks)
Lift plays of a specimen in	period of the fill and first a se	all (ti)
		j & strii

#### PART B

- (h) (i) Place the watch glass on the plane mirror on the bench.
  - (ii) Clamp the optical pin horizontally in the retort stand such that its tip is vertically above the pole of the watch glass.
  - (iii) Put a little water into the watch glass. Adjust the height h of the pin above the mirror until it coincides with its inverted image tip to tip. (check for parallax to confirm). See Figure 2.




Figure 2

		(iv)	Measure the height h <sub>1</sub>	of the pin above the mirror	r.	
			h <sub>1</sub> =	cm		(1 mark)
		(v)	Determine r given that	$t r = \frac{h_1}{3}$		(1 mark)
			commency statistics	South Market		
	(i)	Pour water		the watch glass dry. Repeat	part h(iii) using liquid L	instead of
		(i)	Measure and record th	ne height h <sub>2</sub> of the pin above	e the mirror.	
14/			h <sub>2</sub> =	cm		(1 mark)
		(ii)	Determine ₹ given that	$at, Z = \frac{h_2 + r}{h_2}$		(2 marks)
						TA
	Ques	tion 2	The state of the s			
	You a	ire prov	vided with the following			
	1.	An aı	nmeter			
	2.		s in a cell holder			
	3. 4.	A coi	l wound on a beaker			
	5.		gnetic compass			
36	6.		f metre rule			
8036	7.		er callipers (to be share			
	8.		ort stand, boss and clam	p en Saintina		
	9. 10.		oden block e plasticine			
	11.		ecting wires			
	12.		riable resistor labelled R			
	Proce	eed as	follows:			
	(a)	(i)	Count and record the	number of complete turns ?	N of the coil on the beake	er.
			N			(1 mark)
		(ii)	Use the vernier callip	ers to measure and record the	he diameter d of the beak	ter in metres.
#2			d	m		(1 mark)
22	9101	19	Kenya C	Certificate of Secondary Edu 232/3	ucation, 2021	Turn over
						STREET, STREET

- (iii) Using some plasticine mount the beaker on the wooden block so that the coil is in a vertical plane.
- (b) (i) Place the compass at one end of the half-metre rule such that the E-W marks of the compass are in a direction parallel to the longest side of the half-metre rule. See Figure 3.

(Use some plasticine to fix the compass so that it remains in this position throughout the experiment)



Figure 3

- (ii) Clamp the other end of the rule in the stand. Adjust the height of the rule above the bench so that the height of the compass needle is approximately equal to the height of the centre of the vertical coil.
- (iii) With the half-metre rule still clamped, rotate the stand until the north pole of the needle points at 0° of the compass (at N).

(keep the stand in this position throughout the experiment)

(c) Move the wooden block such that the compass gets into the beaker and the centre of the coil and that of the magnetic compass needle approximately coincide. (See **Figure 4**).




Figure 4

(d) With the compass inside the beaker, now connect the coil in series with the cells, ammeter, switch and variable resistor R, as shown in **Figure 5**.




Figure 5

(Ensure that the ammeter is at least 60 cm away from the compass and that there are no other magnetic materials near the compass.)



47

- (e) (i) Close the switch. Using the variable resistor adjust the current I so that the deflection  $\theta$  of the compass needle is  $10^{\circ}$  from  $0^{\circ}$ . Record the corresponding current I in **Table 3.** 
  - (ii) Repeat e(i) for the other values of deflection  $\theta$  shown in **Table 3**. Complete **Table 3**.


Table 3

(4 marks)

Deflection θ°	10	20	30	40	50	60
Current I (A)		yke				
Tan θ		97				

(f) On the grid provided, plot a graph of  $\tan \theta$  (y- axis) against current I.

(5 marks)





Turn over

	(g)	From	m the graph, determine the slope S.			(3 marks)
		******	v i gjiro	wedgen.		······
		••••		1.		
	21	Maria I	Sk <sub>1</sub> d			
	(h)	Dete	ermine the constant $k_1$ given that $N = \frac{Sk_1d}{4\pi \times 10^{-3}}$	-7		(2 marks)
		*****	Name of February	de <b>d, plot a</b> graph of a	, bre,	
						-
147	(i)	Fron				
						(1 mark)
	(j)	Dete				
		(i)	constant $k_2$ given that $NI_0 = \frac{dk_2}{4\pi \times 10^{-7}}$ ,			(2 marks)
B036		(ii)	K, the average value of $k_1$ and $k_2$ .			(1 marks)

